

Message

---

**From:** Koslow, Karin [Koslow.Karin@epa.gov]  
**Sent:** 1/28/2021 7:12:39 PM  
**To:** Johnson, Kathleen [Johnson.Kathleen@epa.gov]  
**CC:** Kelley, Rosemarie [Kelley.Rosemarie@epa.gov]; Denton, Loren [Denton.Loren@epa.gov]; Pollins, Mark [Pollins.Mark@epa.gov]; King, Carol [King.Carol@epa.gov]; Theis, Joseph [Theis.Joseph@epa.gov]; Baptista, Chrisna [Baptista.Chrisna@epa.gov]; Connery, Shannon [Connery.Shannon@epa.gov]  
**Subject:** Lead and Copper Rule - for today's weekly with Larry

Thanks for the head's up!

Looping in additional WED folks.

Karin Koslow  
Deputy Director, Office of Civil Enforcement  
Office of Enforcement and Compliance Assurance  
U.S. Environmental Protection Agency  
Desk: (202) 564-0171  
Cell: (202) 716-5645  
WJC South Room 3142D

---

**From:** Johnson, Kathleen <Johnson.Kathleen@epa.gov>  
**Sent:** Thursday, January 28, 2021 10:02 AM  
**To:** Kelley, Rosemarie <Kelley.Rosemarie@epa.gov>; Koslow, Karin <Koslow.Karin@epa.gov>; Denton, Loren <Denton.Loren@epa.gov>; Pollins, Mark <Pollins.Mark@epa.gov>  
**Subject:** Item for today's weekly

Team,

Larry mentioned that the Lead and Copper Rule is one of those that went final in the waning days of the Trump administration. Pursuant to the Reg Freeze EO, there may be a possibility of pulling it back. Larry would like to discuss this today – your reviews on the final rule.

Thanks.

Kathleen H. Johnson  
Senior Policy Advisor  
Office of Enforcement and Compliance Assurance  
Cell phone 415-640-5476  
[Johnson.kathleen@epa.gov](mailto:Johnson.kathleen@epa.gov)